

STAND DESIGN REGULATIONS

IMPORTANT NOTE:

By signing up the registration form, the Exhibitor agrees to abide by all the clauses mentioned in the general regulations and to ensure that any decorators, installers or contractors also abide by them. The Exhibition Organiser reserves its right, for any installation which does not comply with the stand design regulations or which disturbs neighbouring exhibitors or the public, to modify or remove the stand by the stand contractor. One dimensioned stand layout, indicating a ground and an elevation view, must be submitted for approval, before 16th September 2018, to: **DECOPLUS - 13 rue de Fourqueux - 78100 St Germain en Laye - Tél. +33 (0)9 67 78 93 85 - Email: equiphotelarchi@free.fr.**

The operation department will check all the stand installations and may reject those that are not conform to the approved plan. The technical department reserves its right to commission a report certifying the stability of the stand structure by an approved supervisory body, at the exhibitor's expense.

HEIGHT OF STANDS, CLEARANCE LIMITS AND OPENINGS ONTO AISLES

Stands must be built in compliance with the following heights and clearance limits:

24. Maximum Height limits

Construction maximum height from the ground: **5.00 m.**

Maximum height for signs: **5.00 m.**

Separating partitions maximum height: **3.00 m.**

Lighting trusses maximum height: **6.00 m.**

< This rule applies to all the stands wherever the height and zone of the pavilion permits it.

25. Clearance limits

Stand structures must take into account the following clearance limits:

Clearance limit from aisles

- Up to 5 m high: **no clearance limit.**

Clearance limit from separating partitions

- Constructions under 3m high: **no clearance limit.**
- Constructions between 3 m and 5 m high: **clearance limit 0,5 m.**
- Lighting trusses (Ht. max: 6m): **clearance limit 0,5 m.**



26. Separating partitions

Partitions overlooking neighbouring stands must be smooth, plain, painted white or grey, or covered in white or grey wall fabric, **without any sign of any kind or wooden braces for assembling partitions.**

27. Strip lights

Electric battens (exempt of signs) must respect the limited height of 6 metres when the height and zone of the Pavilion permits it.

They are permitted when independently hung over the stand structure with 0.50 m clearance relative to neighbour stands, but none from aisles. The set-up of a velum is possible once percentage of coverage is approved by our safety manager. Besides, the stand area must be less than 299 sqm and the velum material must be mesh net fabric.

28. Openings onto aisles

Is considered as closing items any plain partition. Decorations and installations must be designed in order to allow a full access to aisles and to avoid visibility troubles for neighbouring stands as well as **allowing a maximum amount of visibility of the show through the stands.**

29. Re-used stands

Re-used stands are subjects to EQUIPHOTEL 2018 Stand Design Regulations as well as newly built stands. They must conform to the prescribed clearance and height limits, and be approved by DECOPLUS.

30. Stand boundaries

No decorative items, furniture, signage, floor covering or light fittings must outstrip the boundaries of the stand.

SIGNAGE

31. Signs/Structure

- A sign is an openwork superstructure featuring the exhibitor's illuminated name or logo. Signs must be suspended thanks to an hatch or riggings, or attached to the stand framework with a light frame.
- The sign structure may not exceed a height of 5 metres from the ground and must be set at least at 0.50 m back from the edges of the neighbour stand.

32. Tethered balloons

Balloon signs inflated with a gas lighter than air must not exceed the prescribed height and clearance limits. Tethers must be maintained at a constant height (reminder: the maximum height for signs is 5 m). Failure to comply with this requirement will give EQUIPHOTEL the right to remove them.

33. Sound systems and illuminated signs

Any advertising using lighting or sound must be submitted for approval to the EQUIPHOTEL operation team, who can withdraw this permission in case the event would cause nuisances to neighbouring exhibitors or an obstruction to the appearance of the exhibition.

Should you have such an agreement, we remind you that the maximum sound level must not exceed 85 dBA. Those events are possible during the first 30 min of each hour. Within this time slot, the running time can last only for 10 min. Those 10 min can be divided in several periods. For example: 2 periods of 5 min each.

Flashing signs and similar are not permitted. Illuminated signs are permitted but they must not be intermittent or of a flashing nature.

34. Double-decker stands


Double-decker stands are not permitted.

35. Illustration of stand design regulations for EQUIPHOTEL 2018

Technical supports:


Damien Rose - damien.rose@reedexpo.fr - Tel.: +33(0)1 47 56 52 83

Elodie Gangand - elodie.gangand@reedexpo.fr - Tel.: +33(0)1 47 56 50 76



Technical supports:

Damien Rose - damien.rose@reedexpo.fr - Tel.: +33(0)1 47 56 52 83
Elodie Gangand - elodie.gangand@reedexpo.fr - Tel.: +33(0)1 47 56 50 76




Lighting truss and signs
clearance limit from
partition : 0.5 m

STAND EQUIPE

STAND NU

Technical supports:

Damien Rose - damien.rose@reedexpo.fr - Tel.: +33(0)1 47 56 52 83
Elodie Gangand - elodie.gangand@reedexpo.fr - Tel.: +33(0)1 47 56 50 76



Technical supports:

Damien Rose - damien.rose@reedexpo.fr - Tel.: +33(0)1 47 56 52 83
Elodie Gangand - elodie.gangand@reedexpo.fr - Tel.: +33(0)1 47 56 50 76